



Data sheet

EKS 021.5 Bayonet lock, insertion bevels and vibration protection, double wedge

Our Bayonet lock with vibration protection and insertion bevels EKS 021.5

- serves as a detachable connection of several layers of corrugated cardboard
- the insertion bevel simplifies screwing into the packaging
- vibration protection fixes the bayonet lock in case of vibration
- is a sustainable alternative to adhesive strips or staples
- facilitates the separation of packaging materials by type
- is reusable
- is suitable for connection distances up to 21 mm
- is also available in versions for connection distances of 8 mm, 14 mm, 18 mm, 15 mm, 22 mm and 26 mm
- is part of our E-K-S Bioline®
- 100% recyclable



Technical specification:

Weight approx. 22.20 gr.

Raw material depending on the variant:


- 100% PP- Recycled material (PCR)
- 100% E-K-S Bioline® sugar cane
- 100% E-K-S Bioline® paper fiber

Packaging:

100 pcs. / 2.9 kg

400 pcs. / 10.1 kg

Assembling data:



Assembling data
(punching)

A = 50 mm (+1mm)
 B = 93 mm (+1mm)
 C = 27 mm (+1mm)
 R = 3 mm (+1mm)



Did you already know that we can also manufacture our products from biological raw materials on request? We will be pleased to provide you with further information!

